

Mise à jour Mai 2016

ABBEY, A., ZAWACKI, T., BUCK, P.O., CLINTON, A.M. & MCAUSLAN, P. (2004). Sexual assault and alcohol consumption. What do we know about their relationship and what types of research are still needed. Aggressive and violent behaviour, 9, 271-303.

AHLSTRÖM, S. (2000). The young adult. In COOPER, D.B. (ed.). Alcohol Use (pp. 39-50), Abingdon: Radcliffe Medical Press.

ALCOHOL CONCERN (2001). Dangerous cocktails, your mental health medication and alcohol: what are the facts. London: Alcohol Concern.

ALLAMANI, A. (2008). Alcoholic beverages, gender and European cultures. Substance Use & Misuse, 43, 1088-1097.

AMERICAN PSYCHIATRIC ASSOCIATION (1994). Diagnostic and Statistical Manual of Mental Disorders, Fourth edition (DSM-IV), Washington D.C.: APA.

ANDERSON, P. & BAUMBERG, B. (2006). Alcohol in Europe. A report for the European Commission. Londen: Institute of Alcohol Studies.

ANDERSON, P. GUAL, A. & COLOM, J. (2005). Alcohol and Primary Health Care: Clinical Guidelines on Identification and Brief Interventions. Barcelona: Department of Health of the Goverment of Catalonia.

ANSOMS, S., CASSELMAN, J., MATTHYS, F. & VERSTUYF, G. (red.) (2004). Hulpverlening bij problematisch alcoholgebruik. Antwerpen/Apeldoorn: Garant.

ANSOMS, S. (2004). Farmacotherapie bij alcoholisme (pp. 101-121). In ANSOMS, S., CASSELMAN, J., MATTHYS, F. & VERSTUYF, G. (red.). Hulpverlening bij problematisch alcoholgebruik. (pp.291-294). Antwerpen/Apeldoorn: Garant.

ANTHONY, J.C. & ECHEAGARAY-WAGNER, F (2001). Epidemiologic analysis of alcohol and tobacco use. Patterns of co-occurring consumption and dependence in the United States. Alcohol Research & Health, 24 (4), 201-208.

ARRIA, A.M. & GOSSOP, M. (1998). Health Issues and Drinking Patterns. In GRANT, M. & LITVAK, J. (eds.). Drinking Patterns and their Consequences (pp. 63-87), London: Taylor & Francis.

ASHLEY, M.J. et. al. (2000). Beyond ischaemic heart disease: are there other health benefits from drinking alcohol, Contemporary drug problems, 735-767.

BABOR, T.F. & LAUERMAN, R.J. (1986). Classification and forms of inebriety: historical antecedents of alcoholic typologies. In GALANTER, M. (ed.). Recent developments in Alcoholism, Vol. 1 (pp. 113-144), New York: Plenum.

BABOR, T.F., CAETANO, R., CASSWELL S., EDWARDS, G., GIESBRECHT, N., GRAHAM, K., GRUBE, J.W., GRUENEWALD, P.J., HILL, L., HOLDER, H.D., HOMEL, R., ÖSTERBERG, E., REHM, J., ROOM, R. & ROSSOW, I.

(2003). Alcohol: No Ordinary Commodity. Research and Public Policy. Oxford: Oxford Medical Publication, Oxford University Press.

BARAK, A. (1999). Psychological applications on the internet: A discipline on the threshold of a new millennium. *Applied and Preventive Psychology*, 8(4), 231–245.

BARAK, A., HEN, L., BONIEL-NISSIM, M., & SHAPIRA, N. (2008). A Comprehensive Review and a Meta-Analysis of the Effectiveness of Internet-Based Psychotherapeutic Interventions. *Journal of Technology in Human Services*, 26(2-4).

BAYINGANA, K., DEMAREST, S., GISLE, L., HESSE, E., MIERMANS, P.J., TAFFOREAU, J. & VAN DER HEYDEN, J. (2006). Gezondheidsenquête België 2004. Boek III Leefstijl. Gebruik van alcohol. IPH/EPI Reports nr. 2006 – 035. Brussel: Wetenschappelijk Instituut Volksgezondheid, Afdeling epidemiologie.
Via <http://www.iph.fgov.be/epidemio/hisia/index.htm> (december 2009).

DE BEAUREPAIRE R. (2012). Suppression of alcohol dependence using baclofen: a 2-year observational study of 100 patients. *Front Psychiatry* (3) 103.

BELGISCHE BROUWERS (2006). Basiscursus bier. Brussel: Belgische Brouwers.
Via <http://www.beerparadise.be/nl/> (December 2009).

BELKACEM, A., BENYAMINA, A., BLECHA, L., REYNAUD, M., & LUKASIEWICZ, M. (2009). L'entretien motivationnel : évaluation de l'efficacité en addictologie. *Alcoologie et Addictologie*, 31(2), 129–140.

BELLINER, K. (ed.) (2000). Alcoholism sourcebook, Detroit: Omnographics.

BENNETT, J.B. & LEHMAN, W.E.K. (1998). Workplace Drinking Climate, Stress, and Problem Indicators: Assessing the Influence of Teamwork (Group Cohesion). *Journal of Studies on Alcohol*, 59, 608-618.

BERNAERT, I. (2003). Dossier smart drugs. Brussel: VAD.

BEWICK, B. M., TRUSLER, K., BARKHAM, M., HILL, A. J., CAHILL, J., & MULHERN, B. (2008). The effectiveness of web-based interventions designed to decrease alcohol consumption-a systematic review. *Preventive medicine*, 47(1), 17–26.

BIELEMAN, B., MAARSINGH, H., & MEIJER, G. (1998). Aangeschoten wild: onderzoek naar jongeren, alcohol, drugs en agressie tijdens het uitgaan. Groningen: Intraval.

BLANKERS, M., KOETER, M. W. J., & SCHIPPERS, G. M. (2011). Internet therapy versus internet self-help versus no treatment for problematic alcohol use: A randomized controlled trial. *Journal of consulting and clinical psychology*, 79(3), 330–41.

BLOOMFIELD, K., ALLAMANI, A., BECK, F., BERGMARK, K. H., CSEMY, L., EISENBACHSTANGL, I., et al. (2005). Gender, culture and alcohol problems: A multi-national study. Project Final Report. Berlin: Institute for Medical Informatics, Biometrics & Epidemiology, Charité Universitätsmedizin Berlin.

BOELEMA, S., TER BOGT, T., VAN DEN EIJDEN, R. & VANDURMEN, J. (2009). Fysieke, functionele en gedragsmatige effecten van alcoholgebruik op de ontwikkeling van 16-18 jarigen. Utrecht: Trimbos Instituut & Universiteit Utrecht.

BRAIN, K., PARKER, H. & CARNWATH, T. (2000). Drinking with Design: young drinkers as psychoactive consumers. *Drugs: education, prevention and policy*, 7(1), 5-20.

BRISBY, T., BAKER, S. & HEDDERWICK, T. (1997). Under the influence: coping with parents who drink too much. A report on the needs of children of problem drinking parents. Londen: Alcohol concern.

BROWNLEE, N. (2002). This is alcohol. London: Sanctuary Publishing.

BUELENS, M. & VANSEVENANT, A. (2005). Vijf voor twaalf?? Het Brouwersblad, 112, juni-juli-augustus.

CAETANO, R. & TAM, T.W. (1995). Prevalence and correlates of DSM-IV and ICD-10 alcohol dependence: 1990 US national alcohol survey. *Alcohol and Alcoholism*, 30 (2), 177-186.

CAILLIER, V. & FALLA, W. (2010). Cyberespace et relation d'aide, 86, 759–761.

CAMERON, D. (2000). Its use in perspective. In COOPER, D.B. (ed.). *Alcohol use* (pp. 13-23), Abingdon: Radcliffe Medical Press.

CATTAERT, G. & PACOLET, J. (2004). Alcoholgebruik en -misbruik naar leeftijd in België. Analyse op basis van de gezondheidsenquête en het huishoudbudgetonderzoek. Leuven/Brussel: HIVA/VAD.

CAVANAGH, J.T., CARSON, A.J., SHARPE, M. & LAWRIE, S.M. (2003). Psychological autopsy studies of suicide: a systematic review. *Psychol. Med.*, 33 (3), 395-405.

CHIAUZZI, E., GREEN, T. C., LORD, S., THUM, C., & GOLDSTEIN, M. (2007). My Student Body: A High-Risk Drinking Prevention Web Site for College Students. *J Am Coll Health*, 53(6), 263–274.

CLAYTON, R. (1986). Multiple drug use: Epidemiology, correlates and consequences. In M. GALANTER (Ed.), *Recent developments in alcoholism*. New York: Plenum.

COMPTON, W.M., COTTLER, L.B., DORSEY, K.B., et. al. (1996). Structured and semistructured dependence of icd-10 substance dependence disorders. cidi-sam vs scan. *International Journal of Methods in Psychiatric Research*, 6, 285-293.

COOLEN, C. et. al. (2002), Hulpverlening aan kinderen van alcoholisten. Gezinnen onder invloed – invloedrijke gezinnen, Brussel: VAD.

COOPER, M.L., PEIRCE, R.S. & HUSELID, R.F. (1994). Substance use and sexual risk taking among black adolescents and white adolescents. *Health Psychology*, 13(3), 251-262.

CONOR, O.O., Alcohol and sport. Impact of social drinking on recreational and competitive sports performance, *Sports Medicine* 15 (2), 1993, 71-77.

CUNNINGHAM, J. A, & VAN MIERLO, T. (2009). Methodological issues in the evaluation of Internet-based interventions for problem drinking. *Drug and alcohol review*, 28(1), 12–7.

CUNNINGHAM, J. A, WILD, T. C., CORDINGLEY, J., VAN MIERLO, T., & HUMPHREYS, K. (2009). A randomized controlled trial of an internet-based intervention for alcohol abusers. *Addiction* (Abingdon, England), 104(12), 2023–32.

CUNNINGHAM, J. A., WILD, T. C., CORDINGLEY, J., VAN MIERLO, T., & HUMPHREYS, K. (2010). Twelve-month follow-up results from a randomized controlled trial of a brief personalized feedback intervention for problem drinkers. *Alcohol and alcoholism* (Oxford, Oxfordshire), 45(3), 258–62.

CUNNINGHAM, J. A., KHADJESARI, Z., BEWICK, B. M., & RIPER, H. (2010). Internet-based interventions for problem drinkers: From efficacy trials to implementation. *Drug and alcohol review*, 29(6), 617–22. doi:10.1111/j.1465-3362.2010.00201.x

DE DONDER, E. (2006). *Alcohol. Cijfers in perspectief (1994-2004)*, Antwerpen: Garant.

DE DONDER, E. & LAMBRECHTS, M.C. (2002). Situering problematisch middelengebruik (pp. 13-40). In DE DONDER, E., DE MAESENEIRE, I., GEIRNAERT, M., LAMBRECHTS, M.C., ROOSE, N., VAN BAELEN, L. & VERSTUYF, G. *Alcohol- en druggebruik: gedifferentieerde aanpak van preventie tot hulpverlening*. Mechelen: Kluwer.
DE MAESENEIRE, I. (2002). *Over alcopops en andere trendy drankjes*, Brussel: VAD.

DEVRIENDT, W. (2001). *Alcohol en drugs, maak er geen sport van*. Brussel: VAD.

DE WILDE, K., PETROVIC, M. & MICHELSEN, W. (2007). Alcoholmisbruik bij de oudere. *Tijdschrift voor Geneeskunde*, 63(1), 25-29.

DEUTSCHE HAUPTSTELLE FÜR SUCHTFRAGEN E.V. (DHS) (2008). *Binge Drinking and Europe*. Hamm: DHS.

EBRAHIM IO, SHAPIRO CM, WILLIAMS AJ, FENWICK PB (2013). Alcohol and sleep I: effects on normal sleep. *Alcohol Clin Exp Res*;37(4):539-49.

EDWARDS, G., ANDERSON, P., BABOR, T.F., CASSWELL, S., FERRENCE, R., GIESBRECHT, N., GODFREY, C., HOLDER, H.D., LEMMENS, P., MÄKELÄ, K., MIDANIK, L.T., NORSTRÖM, T., ÖSTERBERG, E., ROMELSJÖ, A., ROOM, R., SIMPURA, J., & SKOG, O.-J. (1994). *Alcohol policy and the public good*. Oxford: Oxford University Press.

EDWARDS, G. (2000). *Alcohol: The Ambiguous Molecule*. Harmondsworth: Penguin Books.

ELICKSON, P.L., TUCKER, J.S. & KLEIN, D.J. (2003). Ten-Year Prospective Study of Public Health Problems Associated With Early Drinking. *Pediatrics*, 110(5), 949-955.

EPSTEIN, E.E. (2001). "Classification of Alcohol-Related Problems and Dependence". In HEATHER, N., PETERS, T.J. & STOCKWELL, T. (eds.). *International Handbook of Alcohol Dependence and Problems* (pp. 47-70), Chichester: John Wiley & Sons.

EUROPEAN CENTRE FOR MONITORING ALCOHOL MARKETING (EUCAM) (2008). *Women – The new market. Trends in alcohol marketing*.

http://www.eucam.info/content/bestanden/women_the_new_market_final.pdf
(november 2009).

EUROPEES WAARNEMINGSCENTRUM VOOR DRUGS EN DRUGSVERSLAVING (EWDD)(2002). *Recreatief druggebruik – een belangrijke uitdaging voor de EU*. Drugs in beeld, briefing 6, november- december.

FARRÉ, M., DE LA TORRE, R., GONZALEZ, M.L., TERAN, M.T., ROSET, P.N., MENOYO, E. & CAMI, J. (1997). Cocaine and Alcohol Interactions in Humans : Neuroendocrine Effects and Cocaethylene Metabolism. *The Journal of Pharmacology and Experimental Therapeutics*, 283, 164176.

FINFGELD-CONNELL, D., & MADSEN, R. (2008). Web-based treatment of alcohol problems among rural women. *Journal of psychosocial nursing and mental health services*, 46(9), 46–53.

FINK, A., HAYS, R.D., MOORE, A.A., BECK, J.C. (1996). Alcohol-Related problems in Older Persons. *Archives of Internal Medicine*, 156, 1150-1156.

FULLER, M.G. (1995). Alcohol use and injury severity in trauma patients. *Journal of Addictive Diseases*, 14, 47-5.

GALANTER, M. (1986). "Multiple drug use: epidemiology, correlates and consequences". In: GALANTER (ed.). Recent developments in alcoholism vol. 4. Combined alcohol and other drug abuse, typologies of alcoholics, the withdrawal syndrome, renal and electrolyte consequences. New York: Plenum Press.

GAMBERT, F.H. (2004). "The Elderly". In: LOWISON, J.H., RUIZ, P., MILLMAN, R.B. & LANGROD, J.G. (eds.) (2004). Substance Abuse. A comprehensive textbook. Third edition. Baltimore: Williams & Wilkins.

GEZONDHEIDSRAAD (2005). Risico's van alcoholgebruik bij conceptie, zwangerschap en borstvoeding. Publicatie nr. 2004/22. Den Haag: Gezondheidsraad.

GMEL, G. & REHM, J. (2003). „Harmfull alcohol use", *Alcohol research and health : the journal of national insitute on alcohol abuse and alcoholism*, 27(1), 52-62.

GOEDDE, H. W. et al. (1985). Population genetic and family studies on aldehyde dehydrogenase deficiency and alcohol sensitivity. *Alcohol* 1985, 383.

GOLD, M.S. (1997). Cocaine and crack: Clinical aspects. *Substance abuse: A comprehensive textbook* 3rd edition. Baltimore: Williams & Wilkins.

GOOS, C. (2004). Internationale Entwicklungen: Weltgesundheitsorganisation, Europäischer Alkohol Aktionsplan (EAAP). In: BMGF, NÖ JUGENDREFERAT, AKIS, API &

LBISUCHT (eds.). Tagungsbericht AKIS-Tagung 'Jugend und Alkohol'. Wien: AKIS.

LÉCALLIER, D., & MICHAUD, P. (2004). L'entretien motivationnel : une évolution radicale de la relation thérapeutique. *Alcoologie et Addictologie*, 26(2), 129–134.

GORDIS, E. (2002). Does brain damage effect recovery?, *Addiction Today* jan/febr, 12-13.

GORDON, R. & ANDERSON, P. (2009). Alcohol: Marketing and young people. *Factsheet 2009*. Hamm: DHS.

GRANT, D.F. & DAWSON, D.A. (1997). Age at onset of alcohol use and its association with DSM-IV alcohol abuse and dependence: results from the National Longitudinal Alcohol Epidemiologic Survey. *Journal of Substance Abuse*, 9, 103-110.

GRANT, M. & LITVAK, J.(eds.) (1998). Drinking patterns & their consequences, Washington: Taylor and Francis.

GUÉRIN S, LAPLANCHE A, DUNANT A, HILL C. (2013). Alcohol-attributable mortality in France. *Eur J Public Health*. Aug;23(4):588-93.

Groupe de travail de la SFA et de la SFGG (2014). Personnes âgées et consommation d'alcool – Quels sont les moyens du repérage des risques à ces consommations chez les personnes âgées, Alcoologie et addictologie, 36 (3), 247-251.

Groupe de travail de la SFA et de la SFGG (2014). Personnes âgées et consommation d'alcool, Alcoologie et addictologie, 36 (1), 61-72.

GUNZERATH, L., FADEN, V., ZAKHARI, S. & WARREN, K. (2004). National Institute on Alcohol Abuse and Alcoholism Report on Moderate Drinking. *Alcoholism: Clinical and Experimental Research*, 28(6), 829-847.

GUTGESELL, M. & CANTERBURY, R. (1999). Alcohol usage in sport and exercise. *Addiction Biology*, 4, 373-383.

GUTJAHR, E., GMEL, G. & REHM, J. (2001). Relation between average Alcohol Consumption and Disease: An Overview. *European Addiction Research*, 1(7), 117-127.

HALFORD, K.W., PRICE, J., KELLY, A.B., BOUMA, R. & YOUNG, R.M. (2001). Helping the female partners of men abusing alcohol: a comparison of three treatments. *Addiction*, 96, 1497-1508.

HARADA S. et al. (1983). Aldehyde dehydrogenase isozyme variation and alcoholism in Japan. *Pharmacology, Biochemistry and Behavior*, 15.

HARRIS, E.C. & BARRACLOUGH, B. (1997). Suicide as an outcome for mental disorders. A meta-analysis. *British Journal of Psychiatry*, 170, 205-228.

HEATH, D.B. (1998). Cultural Variations among Drinking Patterns. In GRANT, M. & LITVAK, J. (eds.). *Drinking Patterns and their Consequences* (pp. 103-125), London:Taylor & Francis.

HERRING, R., BERRIDGE, V. & THOM, B. (2008). Binge drinking today: Learning lessons from the past. *Drugs: education, prevention and policy*, 15(5), 475-486.

HIBELL, B., GUTTORMSSON, U., AHLSTRÖM, S., BALAKIREVA, O., BJARNASON, T., KOKKEVI, A., KRAUS, L. (2009). The 2007 ESPAD report: substance use among students in 35 European countries. Stockholm: The Swedish Council for Information on Alcohol and other Drugs.

HODGINS, D.C., WILLIAMS, R. & MUNRO, G. (2009). Workplace responsibility, stress, alcohol availability and norms as predictors of alcohol consumption-related problems among employed workers. *Substance Use & Misuse*, 44, 2062-2079.

HOGE GEZONDHEIDSRAAD (2006). Rapport van de Hoge Gezondheidsraad. Jongeren en alcohol. Brussel: Hoge Gezondheidsraad.

HOGE GEZONDHEIDSRAAD (2009). Risico's van alcoholgebruik voor en tijdens de zwangerschap en gedurende de borstvoedingsperiode', publicatie 8462, Brussel: Hoge Gezondheidsraad.
https://portal.health.fgov.be/pls/portal/docs/PAGE/INTERNET_PG/HOME PAGE_MENU/AB_OUTUS1_MENU/INSTITUTIONSAPPARENTES1_MENU/HOGEGEZONDHEIDSRAAD1_MENU/ADVIEZENENAANBEVELINGEN1_MENU/ADVIEZENENAANBEVELINGEN1_DOCS/HGR_846_2_NL.PDF (december, 2009).

HOGE GEZONDHEIDSRAAD (2009). Energiedranken.

https://portal.health.fgov.be/pls/portal/docs/PAGE/INTERNET_PG/HOME PAGE_MENU/AB_OUTUS1_MENU/INSTITUTIONSAPPARENTES1_MENU/HOGEGEZONDHEIDSRAAD1_MENU/ADVIEZENENAANBEVELINGEN1_MENU/ADVIEZENENAANBEVELINGEN1_DOCS/HGR_846_2_NL.PDF

OUTUS1_MENU/INSTITUTIONSAPPARENTES1_MENU/HOGEGEZONDHEIDSRAAD1_MENU
/ADVIEZENENAANBEVELINGEN1_MENU/ADVIEZENENAANBEVELINGEN1_DOCS/HGR_862
2_NL.PDF (december 2009).

HOLMILA, M. (1997). "Conclusions: Local Community in Preventive Action". In HOLMILA, M. (ed.), Community Prevention of Alcohol Problems (pp.207-216). London: MacMillan Press.

HOLMILA, M. & RAITASALO, K. (2005). Gender differences in drinking: why do they still exist? *Addiction*, 100, 1763-1769.

HUNT, G. & BARKER, J. (2001). Socio-cultural Anthropology and Alcohol and Drug Research: Towards a Unified Theory. *Social Science and Medicine*, 53, 165-188.

INTERNATIONAL CENTER FOR ALCOHOL POLICIES (ICAP) (2005). An integrative approach to alcohol policies.
http://www.icap.org/portals/0/download/all_pdfs/blue_book/Intro_Integrative_Approach.pdf (26 april 2007).

ICAP (2007). Standard alcohol units.

<http://www.icap.org/PolicyIssues/DrinkingGuidelines/StandardUnitsTable/tabcid/253/default.aspx>

IMS HEALTH (2004). Voorschriftgegevens medicatie. Brussel: IMS Health. Dataverkregen op verzoek.

INSTITUTE OF ALCOHOL STUDIES (IAS) (2005). Women and Alcohol. IAS Fact Sheet. Londen: IAS

INSTITUTE OF ALCOHOL STUDIES (IAS) (2007). Alcohol & the elderly. IAS Fact sheet. St Ives: IAS.

INSTITUTE OF ALCOHOL STUDIES (IAS) (2007). Binge Drinking - Nature, prevalence and causes. St Ives: IAS.

INTERNATIONAL CENTER FOR ALCOHOL POLICIES (ICAP) (2004). Drinking patterns: from theory to practice.
http://www.icap.org/portals/0/download/all_pdfs/ICAP_Reports_English/report15.pdf
(Oktober 2009).

JANSSENS, J.P.H., et al. (2001). Overweight, obesity and beer consumption. Alcohol drinking habits in Belgium and body mass index, *Archives of public health*, 223-238.

KALAT, J.W. (1992). Biological psychology. Brooks/Cole: Pacific Grove.

KARLSSON, T. & ÖSTERBERG, E. (2001). A scale of formal alcohol control policy in 15 European countries. *Nordic studies on alcohol and drugs*, 18 (English Supplement), 117-129.

KARLSSON, T. & SIMPURA, J. (2001). Changes in living conditions and their links to alcohol consumption and drinking patterns in 16 European countries, 1950 to 2000. *Nordic studies on alcohol and drugs*, 18 (English Supplement), 82-98.

KESMODEL, U., WISBORG, K., OLSEN, S.F., BRINK HENDRIKSEN, T. & SECHER, N.J. (2002). Moderate alcohol intake during pregnancy and the risk of stillbirth and death in the first year of life. *American Journal of Epidemiology*, 155(4), 305-312.

KINABLE, H. (2009). VAD-leerlingenbevraging in het kader van een drugbeleid op school: syntheserapport schooljaar 2007-2008. Brussel: VAD.

KIRBY, J.B. (2006). From single-parent families to stepfamilies – is the transition associated with adolescent alcohol initiation? *J Fam Issues*, 27, 685-711.

KLINGEMANN, H. (2001). Alcohol and its social consequences – the forgotten dimension. <http://www.euro.who.int/document/e76235.pdf> (april 2009).

KNIBBE, R. (2006). Local alcohol prevention in Dutch perspective: what research tells us. Presentation given at the International study conference about local and national alcohol policy, Maastricht, 31 may 2006.

KREITMAN, N. (1986). Alcohol Consumption and the Preventive Paradox. *British Journal of Addiction*, 81, 353-363.

KYPRI, K., SAUNDERS, J. B., WILLIAMS, S. M., MCGEE, R. O., LANGLEY, J. D., CASHELL-SMITH, M. L., & GALLAGHER, S. J. (2004). Web-based screening and brief intervention for hazardous drinking: a double-blind randomized controlled trial. *Addiction* (Abingdon, England), 99(11), 1410–7.

LAMBRECHTS, M.C. (red.) (2001). Een ticket voor een alcohol- en drugbeleid in uw bedrijf. Brussel: VAD.

LAMBRECHTS, M.C. & LENDERS, F. (1996). Alcohol en andere drugs op het werk; een inventaris van een alcohol- en drugsbeleid in de onderneming 1985- 1994. Brussel: VAD.

LAUDENS, F. (2004). Dossier combigebruik. Brussel: VAD.

LE BERRE AP, PINON K, VABRET F, PITEL AL, ALLAIN P, EUSTACHE F, BEAUNIEUX H. (2010). Study of metamemory in patients with chronic alcoholism using a feeling-of-knowing episodic memory task. *Alcohol Clin Exp Res*. Nov;34(11):1888-98.

LE BERRE AP, RAUCHS G, LA JOIE R, MÉZENGE F, BOUDEHENT C, VABRET F, SEGOBIN S, VIADER F, ALLAIN P, EUSTACHE F, PITEL AL, BEAUNIEUX H. (2012). Impaired decision-making and brain shrinkage in alcoholism. *Eur Psychiatry*. Nov 23.

LECESSE, A.P. et. al. (2002). Combined use of alcohol and other psychotropic drugs: A review of the literature. s "Gravenhage: Pasmans offset drukkerij.

LEIBERT, T., JAMES, A. J., MUNSON, J., & GRADY, Y. (2006). An Exploratory Study of Client Perceptions of Internet Counseling and the Therapeutic Alliance, 28(1), 69–83.

LEIFMAN, H. (2001). Homogenisation in alcohol consumption in the European Union. Nordic studies on alcohol and drugs, 18 (English Supplement), 15-30.

LEMMENS, P. (2001). Alcoholgebruik en hartziekte: implicaties van een mogelijk beschermend effect voor een GVO beleid (pp. 64-65). In: De geest uit de fles... national congres over een ontluikend alcoholmatigingsbeleid, Woerden: NIGZ.

LEMMENS, P. (2001). Relationship of Alcohol Consumption and Alcohol Problems at the Population Level. In HEATHER, N., PETERS, T.J. & STOCKWELL, T. (eds.). *International Handbook of Alcohol Dependence and Problems* (pp. 395-411), Chichester: John Wiley & Sons.

LEMMERS, L., KRAMER, J., CONIJN, B., RIPER, H. & VAN ERNST, E. (2006). *Minder drinken*. Amsterdam: Boom.

LEONARD, K.E. (2005). Alcohol and intimate partner violence: when can we say that heavy drinking is a contributing cause of violence? *Addiction*, 100, 422-425.

LEVINE, H.G. (1978). The Discovery of Addiction. Changing Conceptions of Habitual Drunkenness in America. *Journal of Studies on Alcohol*, 39(1), 143-174.

LISKOW, B. et. al. (2000). Mortality in male alcoholics after ten to fourteen years, *Journal of studies on alcohol*, 61, 853-861.

MÄKÄLA, P., GMEL, G., GRITTLER, U., KUENDIG, H., KUNTSCHE, S., BLOOMFIELD, K. & ROOM, R. (2006). Drinking patterns and their gender differences in Europe. *Alcohol & Alcoholism*, 41 (Supplement 1), i8-i18.

MALINAUSKAS, B.M., AEBY, V.G., OVERTON, R.F., CARPENTER-AEBY, T., BARBERHEIDAL, K. (2007). A survey of energy drink consumption patterns among college students. *Nutr J*, 6, 35.

MARTIN, S.E. (2001). The Links Between Alcohol, Crime and the Criminal Justice System: Explanations, Evidence and Interventions. *The American Journal on Addictions*, 10, 136- 158.

MATHIJSEN, M.P.M. & TWISK, D.A.M. (2001). Opname en afbraak van alcohol in het menselijk lichaam. Leidschendam: SWOV.

MATTHYS, F. (2000). *Leven met een verslaafde*. Leuven: Garant.

MCCANE-KATZ, E., KOSTEN, T.R. & JATLOW, P. (1998). Concurrent Use of Cocaïne and Alcohol Is More Potent and Potentially More Toxic than Use of Either Alone – A multiple- Dose Study. *Biological Psychiatry*, 44, 250-259.

MANDALLAZ, C. La consommation contrôlée : un concept inédit ? *Actes du 20ème forum addictions*, 2008.

MANN K, BLADSTRÖM A, TORUP L, GUAL A, VAN DEN BRINK W (2012). Extending the Treatment Options in Alcohol Dependence: A Randomized Controlled Study of As-Needed Nalmefene. *Biol Psychiatry*. Dec 10.

MENDELSON, J.H. & MELLO, N.K. (1985). *Alcohol use and abuse in America*. Boston: Little, Brown and Company.

MICHAUD, P. (2003). Risque alcool chez les plus âgés, *Gérontologie et société*, 105 : 89-99.

MILLER W.R., & ROLLICK S. L'entretien Motivationnel : Aider la personne à engager le changement, trad.de Lecallier D., Michaud P., InterEditions-Dunod, 2006.

MIZOI, Y., ADACHI, J., FUKUNAGA, T., KOGAME, M., UENO, Y., & NOJO, Y. (1987). Individual and ethnic differences in ethanol elimination. *Alcohol Alcohol(s1)*, 389–394.

MÖBIUS, D., ROSIERS, J. (2008). To Empower the Community in Response to Alcohol Threats [ECAT]: scientific evidence for the ECAT methodology. Brussel: VAD.

MODELL & MOUNTZ (1990). The problem of alcohol use by pilots. *New England Journal of Medicine*, 323:455-461.

Moskowitz & Fiorino (2000) et Caird, Lees, & Edwards (2005), cités par l'IBSR (<http://bivv.be/frontend/files/userfiles/files/abaissement-alcool-grands-vehicules.pdf>); consulté le 18 décembre 2015).

MRAZEK, P. & HAGGERTY, R. (eds.) (1994) Reducing risks for mental disorders. Institute of Medicine. Washington DC: National Academy Press.

MULDER, W.G. (1983). Alcohol, vriend of vijand. Feiten over alcohol gebruik – misbruik - verslaving, Nijkerk: Uitgeverij Intro.

MULVIHILL, C., TAYLOR, L., WALLER, S., NAIDOO, B. & THOM, B. (2005). Prevention and reduction of alcohol misuse. Evidence briefing 2nd edition. London: NHS.

MUZYK AJ, RIVELLI SK, GAGLIARDI JP (2012). Defining the role of baclofen for the treatment of alcohol dependence: a systematic review of the evidence. CNS Drugs. Jan 1;26(1):69-78.

NABBEN, T. & KORF, D.J. (2000). De combi-roes. Gecombineerd gebruik van alcohol met cannabis, cocaïne, XTC en amfetamine, Amsterdam: Thela thesis.

NATIONAL HEALTH AND MEDICAL RESEARCH COUNCIL (2007). Australian alcohol guidelines for low-risk drinking. Draft for public consultation. Australia: Australian government.

NATIONAL INSTITUTE ON DRUG ABUSE (1999). Research Report Series: Cocaine Abuse and Addiction. Gedownload op 24 juni 2004, van <http://www.drugabuse.gov/ResearchReports/Cocaine/Cocaine.html>

NATIONAL ORGANIZATION ON FAS (NOFAS) (n.d.). [Http://www.nofas.org/family/](http://www.nofas.org/family/)(december 2008).

NEDERLANDSE VERENIGING VOOR PSYCHIATRIE (2008). Multidisciplinaire richtlijn Stoornissen in het gebruik van Alcohol. Utrecht: NVvP.

NATIONAAL INSTITUUT VOOR GEZONDHEIDSBEVORDERING EN ZIEKTEPREVENTIE (NIGZ) (2000). Nieuwe gegevens over gecombineerd gebruik van alcohol en drugs: lessen voor de voorlichter en de hulpverlener. In: Verslag studienamiddag 14 september, Woerden: NIGZ.

NATIONAAL INSTITUUT VOOR GEZONDHEIDSBEVORDERING EN ZIEKTEPREVENTIE (NIGZ) (2004). Alcohol en ouderen. Studienamiddag over alcoholgebruik door ouderen en daarmee samenhangende problematiek in verpleeg- en verzorgingstehuizen. 30 september 2004. Woerden: NIGZ.

NATIONAAL INSTITUUT VOOR GEZONDHEIDSBEVORDERING EN ZIEKTEPREVENTIE (NIGZ) (2005). Factsheet alcohol en ouderen. Woerden: NIGZ.

NELSON DE, JARMAN DW, REHM J, GREENFIELD TK, REY G, KERR WC, MILLER P, SHIELD KD, YE Y, NAIMI TS (2013). Alcohol-attributable cancer deaths and years of potential life lost in the United States. Am J Public Health. Apr;103(4):641-8.

NORSTRÖM, T., HEMSTRÖM, Ö., RAMSTEDT, M., ROSSOW, I. & SKOG, O.-J. (2002). Mortality and population drinking. In NORSTRÖM, T. (ed.). Alcohol in Postwar Europe: Consumption, drinking patterns, consequences and policy responses in 15 European countries (pp.157-175), Stockholm: Almqvist and Wiksell International.

NORSTRÖM, T. & RAMSTEDT, M. (2005). Mortality and population drinking: a review of the literature. *Drug and Alcohol Review*, 24, 537-547.

O'BRIEN MC, MCCOY TP, RHODES SD, WAGONER A, WOLFSON M. (2008). Caffeinated cocktails: energy drink consumption, high-risk drinking, and alcohol-related consequences among college students. *Acad Emerg Med*, 15(5), 453-460.

Nuyttens, N., Focant F., Casteels Y. (2012). Analyse statistique des accidents de la route 2010. Bruxelles, Belgique: Institut Belge pour la Sécurité Routière – Centre de connaissances Sécurité Routière.

O'BRIEN, K.S., KYPRI, K. (2008). Alcohol industry sponsorship and hazardous drinking among sportspeople. *Addiction*, 103 (12), 1961-1966.

OGBORNE, C.A. & DEWIT, D., Alcohol use, alcohol disorders and the use of health services: results from a population survey, *American Journal of drug & alcohol abuse*, 2001, 759-774.

OTERI A, SALVO F, CAPUTI AP, CALAPAI G. (2007). Intake of energy drinks in association with alcoholic beverages in a cohort of students of the School of Medicine of the University of Messina. *Alcohol Clin Exp Res*, 31(10), 1677-80.

PACOLET, J., DEGREEF, T. & BOUTEN, R. (2003). Sociale kosten-batenanalyse van alcoholgebruik en -misbruik in België. Leuven: Katholieke universiteit Leuven, Hoger instituut voor de arbeid.

PARKER, C. (1985). Alcohol, simple facts about combinations with other drugs, Phoenix:DIN publications.

PARKER, H., ALDRIDGE, J., & MEASHAM, F. (1998). Illegal leisure: the normalization of adolescent recreational drug use. London: Routledge.

PATON, A., (ed.) (1997). ABC of alcohol, Third edition. Cambridge: BJM publishing Group.

PATON, A. (2000). The body and its health. In COOPER, D.B. (ed.). *Alcohol Use* (pp. 25-38), Abingdon: Radcliffe Medical Press.

PATRICK, C.H. (1952). Alcohol, culture and society. Durham: Duke University Press.

PELEG-OREN, N., SAINT-JEAN, G., CARDENAS, G.A., TAMMARA, H. & PIERRE, C. (2009). Drinking alcohol before age 13 and negative outcomes in late adolescence. *Alcoholism: Clinical and Experimental Research*, 33(11), 1966-1972.

PERKINS, K.A. (1997). Combined effects of nicotine and alcohol on subjective behavioral and physiological responses in humans. *Addiction Biology* 2, 255-267.

PIJLMAN, F.T.A., KRUL, J., & NIESINK, R.(2003). Uitgaan en veiligheid: feiten en fictie over alcohol, drugs en gezondheidsverstoringen. Utrecht: Trimbos-instituut.

PITEL AL, RIVIER J, BEAUNIEUX H, VABRET F, DESGRANGES B, EUSTACHE F (2009). Changes in the episodic memory and executive functions of abstinent and relapsed alcoholics over a 6-month period. *Alcohol Clin Exp Res*. Mar;33(3):490-8.

PLANT, M. & CAMERON, D., (eds.) (2000). *The alcohol report*. London: Free association books.

PLANT, M.L. (2008). The role of alcohol in women's lives: a review of issues and responses. *Journal of Substance Use*, 13(3), 155-191.

POIKOLAINEN, K., PALJÄRVI, T. & MÄKELA, P. (2007). Alcohol and the preventive paradox: serious harms and drinking patterns. *Addiction*, 102(4), 571-578.

POPPELIER, A., et al. (2002), Overdaad schaadt. Een inventarisatie van de lichamelijke gevolgen van sociaal geaccepteerd alcoholgebruik en bingedrinken. Rotterdam: Cachet.

POSMA, R. & KOETEN, F. (1998), Feiten over alcohol. Woerden: NIGZ.

POSTEL, M. G., DE HAAN, H. A, & DE JONG, C. A J. (2005). Does e-therapy for problem drinking reach hidden populations? *The American journal of psychiatry*, 162(12), 2393.

POSTEL, M. G., DE HAAN, H. A, & DE JONG, C. A J. (2008). E-Therapy for Mental Health Problems, 14(7), 707–714.

POSTEL, M. G., DE HAAN, H. A, & DE JONG, C. A J. (2010). Evaluation of an e-therapy program for problem drinkers: a pilot study. *Substance use & misuse*, 45(12), 2059–75.

POSTEL, M. G., DE HAAN, H. A, TER HUURNE, E. D., BECKER, E. S., & DE JONG, C. A J. (2011). Characteristics of problem drinkers in e-therapy versus face-to-face treatment. *The American journal of drug and alcohol abuse*, 37(6), 537–42.

RASCH, V. (2003). Cigarette, alcohol, and caffeine consumption: risk factors for spontaneous abortion. *Acta Obstet Gynecol Scand*, 82(2), 182-188.

RAISTRICK, D., (ed.) et.al. (1999). Tackling alcohol together. The evidence base for a UK alcohol policy. London: Free association books.

REHM, J., ASHLEY, M.J., ROOM, R., SINGLE, E., BONDY, S., FERRENCE, R. & GIESBRECHT, N. (1996). On the emerging paradigm of drinking patterns and their social and health consequences. *Addiction*, 91(11), 1615-1621.

REHM, J. & GMEL, G. (1999). Patterns of alcohol consumption and social consequences. Results from an 8-year follow-up study in Switzerland. *Addiction*, 94(6), 899-912.

REHM, J., GUTJAHR, E. & GMEL, G. (2001). Alcohol and all-cause mortality: a pooled analysis. *Contemporary Drug Problems*, 28, 337-353.

REHM, J., ROOM, R., GRAHAM, K., MONTEIRO, M., GMEL, G., SEMPOS, C.T. (2003). The relationship of average volume of alcohol consumption and patterns of drinking to burden of disease: an overview, *Addiction*, 98(9), 1209-1228.

ROLFE, A., DALTON, S., KRISHNAN, M., ORFORD, J., MEHDIKHANI, M., CAWLEY, J. & FERRINS-BROWN, M. (2006). Alcohol, gender, aggression and violence: findings from the Birmingham Untreated Heavy Drinkers Project. *Journal of Substance Use*, 11(5), 343-358.

ROOM, R. (2005). Multicultural contexts and alcohol and drug use as symbolic behaviour. *Addiction Research and Theory*, 13(4), 321-331.

ROOM, R. & MÄKELÄ, K. (2000). Typologies of the Cultural Position of Drinking. *Journal of Studies on Alcohol*, 61, 475-483.

ROSIERS, J. (2007). Dossier middelengebruik en suicide. Brussels: VAD.

ROSSOW, I., ROMELSJO, A. & LEIFMAN, H. (1999). Alcohol abuse and suicidal behavior in young and middle aged men: differentiating between attempted and completed suicide. *Addiction*, 94 (8), 1199-1207.

ROSSOW, I. & HAUGE, R. (2004). Who pays for the drinking? Characteristics of the extent and distribution of social harms from others' drinking. *Addiction*, 99, ,1094-1102.

ROSSOW, I. & ROMELSJÖ, A. (2006). The extent of the „prevention paradox“ in alcohol problems as a function of population drinking patterns. *Addiction*, 101, 84-90.

ROYAL COLLEGE OF PHYSICIANS (1995). Alcohol and the heart in perspective. Sensible limits reaffirmed. London: Royal College Of Physicians.

SALLOUM, I.M., DALEY, D.C., CORNELIUS, J.R., KIRISCI, L. & THASE, M.E. (1996). Disproportionate lethality in psychiatric patients with concurrent alcohol and cocaine abuse. *American Journal of Psychiatry*, 153 (7), 953-955.

SAN JOSÉ, B. (2000). Alcohol consumption and health, contributions to the explanation of the u-shaped curve. Rotterdam: Cachet (IVO).

SCHIFANO, F. DI FURIA, L., FORZA, G., MINICUCI, N. & BRICALDO, R. (1998). MDMA consumption in the context of polydrug abuse : a report on 150 patients. *Drug and Alcohol Dependence*, 52, 85-90.

SCHMID, H. & NIC GABHAINN, S. (2004). "Alcohol Use". In: C., CURRIE, C., ROBERTS, A., MORGAN, R., SMITH, W., SETTERTOBULTE, O., SAMDAL & V., BARNEKOW RASMUSSEN (eds.). *Young People's Health in Context. Health Behaviour in School-aged Children (HBSC) Study: International Report from the 2001/2002 survey* (pp. 73-83). Copenhagen: WHO.

SCHROOTEN, J. (2004). Alcohodossier: een literatuurstudie over het gebruik van alcohol bij volwassenen. Brussel: VAD.

SEGURA, L. & ANDERSON, P. (2009). Alcohol: Health Care Advice. Factsheet 2009. DHS: Hamm.

SETIAWAN E, PIHL RO, DAGHER A, SCHLAGINTWEIT H, CASEY KF, BENKELFAT C, LEYTON M. (2014) Differential striatal dopamine responses following oral alcohol in individuals at varying risk for dependence. *Alcohol Clin Exp Res*. Jan;38(1):126-34.

SEUNTJENS, L., NEIRINCKX, J., VAN MACKELENBERGH, A., VAN ROYEN, P., VERVAECK, N., JACQUEMYN, Y., TEMMERMAN, M. & DE SMEDT, C. (2006). Zwangerschapsbegeleiding. Aanbeveling voor goede medische praktijkvoering. *Huisarts Nu*, juni, 35 (5), 261-298.

SFA/ISPA (2005). Informations à l'attention des personnes âgées et de leur entourage. Les aînés et l'alcool. Repéré à http://www.alcoolespace.com/images/ISPA-Aines_alcool.pdf

SHER, K.J. (1991). Children of alcoholics: A critical appraisal of theory and research. Chicago: University of Chicago Press.

SIMPURA, J. & KARLSSON, T. (2001). Trends in drinking patterns among adult population in 15 European countries, 1950 to 2000: a review. *Nordic studies on alcohol and drugs*, 18 (English Supplement), 31-52.

SINGLE, E. & LEINO, V.E. (1998). The Levels, Patterns, and Consequences of Drinking. In GRANT, M. & LITVAK, J. (eds.). *Drinking Patterns and their Consequences* (pp. 7-24), London: Taylor & Francis.

SKOG, O.-J. (2006). Alcohol and the so-called prevention paradox: how does it look today? *Addiction*, 101, 155-158.

SNEL, J. (2002)., Alcohol, nuchter bekijken. Positieve effecten van matig gebruik, Assen: Van Gorcum.

SNOW, P. (2001). Alcohol in sport – a culture.

Via: [Http://www.adf.org.au/cyds/papers/sport.htm](http://www.adf.org.au/cyds/papers/sport.htm) (juni 2009).

STAINBACK, R.D. (1997). *Alcohol and Sport*. Champaign: Human Kinetics.

STAP (2003). *Alcohol: gezondheidsrisico's voor kinderen*, Utrecht: STAP.

STAP (2009). *Alcohol en sportsponsoring. Hoe sterk verweven?* Utrecht: STAP.

STEPHENS, R., LING, J. HEFFERNAN, T.M., HEATHER, N. & JONES, K. (2008). A review of the literature on the cognitive effects of alcohol hangover. *Alcohol & alcoholism*, 43 (2), 163-170.

STIMSON, G., GRANT, M., CHOQUET, M. & GARRISON, P. (2007). *Drinking in Context: Patterns, Interventions, and Partnerships*. New York: Routledge.

STOCKLEY, C. (n.d.). Women's vulnerability to alcohol, <http://www.aimdigest.com/gateway/m%20index.htm> (december 2008).

STOCKWELL, T., HAWKS, D., LANG, E. & RYDON, P. (1996). Unravelling the preventive paradox for acute alcohol problems. *Drug and Alcohol Review*, 15, 7-15.

STOCKWELL, T., TOUMBOUROU, J.W., LETCHER, P., SMART, D., SANSON, A. & BOND, L. (2004). Risk and protection factors for different intensities of adolescent substance use: when does the Prevention Paradox apply? *Drug and Alcohol Review*, 23, 67-77.

SULKUNEN, P. & SIMPURA, J. (1997). *Alcohol Policy, the State and the Local Community*. In HOLMILA, M. (ed.), *Community Prevention of Alcohol Problems* (pp. 32-40). London: MacMillan Press.

TECCO, J. & ANNEMANS, L. (2003). *Alcohol and drugs in the workplace* Meise: HEDM.

THEOBALD, H., JOHANSSON, S.-E., BYGREN, L.-O. & ENGFELDT, P. (2001). The Effects of Alcohol Consumption on Mortality and Morbidity: A 26-Year Follow-Up Study. *Journal of Studies on Alcohol*, 62, 783-789.

THOM, B. (2001). A Social and Political History of Alcohol. In HEATHER, N., PETERS, T.J. & STOCKWELL, T. (eds.). *International Handbook of Alcohol Dependence and Problems* (pp. 15-31), Chichester: John Wiley & Sons.

TOMCIKOVA, Z., GECKOVA, A.M., OROSOVA, O., VAN DIJK, J.P. & REIJNEVELD, S.A. (2009). Parental divorce and adolescent drunkenness: role of socioeconomic position, psychological well-being and social support. *European Journal of Addiction*, 15, 202-208.

TOSSMANN, P., BOLDT, S., & TENSIL, M-D. (2001). The use of drugs within the techno party scene in European metropolitan cities. European addiction research, 7, pp. 2-23.

TRENO, A.J. & LEE, J.P. (2002). Approaching Alcohol Problems Through Local Environmental Interventions. Alcohol Research & Health, 26(1), 35-40.

TWIGT, J.& KAL, P, . Alcohol en ..., Utrecht: ANDO

VALVERDE, M. (1998). Diseases of the will: alcohol and the dilemmas of freedom. New York: Cambridge University Press.

VAN DEN BRANDT, P.A. (2001). "De relatie tussen alcoholconsumptie en het risico op kanker, met name borstkanker". In: De geest uit de fles... nationaal congres over een ontluikend alcoholmatigingsbeleid, Woerden: NIGZ.

VAN DER STEL, J. & VAN DER KEUKEN, J. (1992). Kinderen gezin en alcohol. Preventie en hulpverlening, Assen: Dekker en Van De Vecht.

VAN EPEN, J.H. (2002). Drugsverslaving en alcoholisme, kennis en achtergronden voor hulpverleners. Houtem/Diegem: Bohn Stafleu Van Loghum.

VAN HAL, G., ROSIERS, J., BERNAERT, I. & HOECK, S. (2007). In hogere sferen?: een onderzoek naar het middelengebruik bij Antwerpse studenten. Antwerpen: UA.

VAN HAVERE, T. (2008). Partywise uitgaansonderzoek: kwantitatief en kwalitatief uitgaansonderzoek 2006 en 2007. Brussel: VAD.

VAN NIEUWKERK, C.M.J. (1996). "Alcohol en de lever", In: HOES, M.J.A.J.M EN GEERLINGS, P.J. (ed.). Informatorium alcoholisme. Leusden: NZP Medical Publishing

VERDURMEN, J., ABRAHAM, M., PLANIE, M., MONSHOUWER, K., VAN DORSSELAER, S., SCHULTEN, I., BEVERS, J. & VOLLEBERGH, W. (2006). Alcoholgebruik en jongeren onder de 16 jaar. Schadelijke effecten en effectiviteit van alcoholinterventies. Utrecht: Trimbos Instituut.

VERENIGING VOOR ALCOHOL- EN ANDERE DRUGPROBLEMEN (VAD) (2006). Visie op preventie en behandeling van de alcohol- en andere drugproblemen. Brussel: VAD.

VERENIGING VOOR ALCOHOL- EN ANDERE DRUGPROBLEMEN (VAD) (2009). Richtlijnen voor aanvaardbaar alcoholgebruik. Brussel: VAD.

VERSCHUREN, P.M. (ed.) (1993). Health issues related to alcohol consumption, Washington: Ilsi Press.

VERSTER, J. (2008). The alcohol hangover-a puzzling phenomenon. Alcohol & Alcoholism, 43(2), 124-126.

VERSTUYF, G. (2004). Overzicht van het hulpverleningsaanbod in Vlaanderen. In ANSOMS, A., CASSELMAN, J., MATTHYS, F. & VERSTUYF, G. (red.). Hulpverlening bij problematisch alcoholgebruik. (pp.291-294). Antwerpen/Apeldoorn: Garant.

VERSTUYF, G. (2007). Dossier vroeginterventie. Brussel: VAD.

VIRKKUNEN, M. & LINNOILA, M. (1993). Brain serotonin, type II alcoholism, and impulsive violence. *Journal of Studies on Alcohol*, 54 (Supplement 11), 163-169.

WALBURG, J.A. & VAN DIJK, A.A. (2000). *Alcohol en werk*, Houtem: Bohn, Stafleu en Van Loghum.

WEBB, G., SHAKESHAFT, A., SANSON-FISHER, R. & HAVARD, A. (2009). A systematic review of work-place interventions for alcohol-related problems. *Addiction*, 104, 365-377.

WECHSLER, H., LEE, J.E., KUO, M. & LEE, H. (2000). College Binge Drinking in the 1990s: A Continuing Problem Results of the Harvard School of Public Health 1999 College Alcohol Study, *Journal of American College Health*, 48, 199-210.

Via:http://www.hsph.harvard.edu/cas/Documents/cont_problem/rpt2000.pdf (december, 2009).

WELLS, S., GRAHAM, K., SPEECHLEY, M. & KOVAL, J.J. (2005). Drinking patterns, drinking contexts and alcohol-related aggression among late adolescent and young adult drinkers. *Addiction*, 100, 933-944.

WERKGROEP EPIDEMIOLOGIE (2007). *Middelengebruik in Vlaanderen: een stand van zaken*. Brussel: Vlaams Agentschap Zorg en Gezondheid.

WHITLOCK, E.P., POLEN, M.R., GREEN, C.A., ORLEANS, T. & KLEIN, J. (2004). Behavioral Counseling Interventions in Primary Care To Reduce Risky/Harmful Alcohol Use by Adults: A Summary of the Evidence for the U.S. Preventive Services Task Force. *Annals of Internal Medicine*, 140(7), 557-580.

WILCOX, H.C., CONNER, K.R. & CAINE, E.D. (2004). Association of alcohol and drug use disorders and completed suicide: an empirical overview of cohort studies. *Drug and Alcohol Dependence*, 76S, S11-S19.

WINDLE, M. (1997). Concepts and issues in COA research. *Alcohol Health & Research World*, 21(3), 185-191

WORLD HEALTH ORGANIZATION (WHO) (2000). *International Guide for Monitoring Alcohol Consumption and Related Harm*. S.I.: WHO.

WORLD HEALTH ORGANIZATION (WHO) (2004). *Global Status Report on Alcohol 2004*. Genève: WHO.

WORLD HEALTH ORGANISATION (2006). Framework for alcohol policy in the WHO European Region. Copenhagen: WHO Regional Office for Europe.

WRIGHT S. & KLEE, H. (2001). Violent Crime, Aggression and Amphetamines : what are the implications for drug treatment services? *Drugs: education, prevention and policy*, 8, 73-90.

YAMASHITA, I., OHMORI, T., KOYAMA, T. et al. (1990). Biological study of alcohol dependence syndrome with reference to ethnic difference; Report of a WHO Collaborative Study. *Japanese Journal of Psychiatry and Neurology*, 79-84.

ZINBERG, N.E. (1984). *Drug, Set, and Setting. The Basis for Controlled Intoxicant Use*. New Haven: Yale University.